

Material Safety Data Sheet

Identity: Finn E-Tack

Section I-Product and Company Information

Manufactured for Finn Corporation, 9281 LeSaint Dr. Fairfield, Ohio 45014 Information
Phone (513)-874-2818 Emergency (800) 543-7166

Section II-Hazardous Ingredients/Identity Information

Serial No: 0100-(2)

Hazardous components (specific chemical identity: common name): Polymer CAS
No. 2508-02-3 Residual monomers including acrylamide, maximum 0.05%

OSHA PEL: N/A
ACGIH TLV: N/A other limits recommended
Irritant: Eye
% (optional): Major
SARA section 313 reportable toxic chemicals: None

Section III-Physical and Chemical Characteristics

Boiling point: N/A
Appearance: White granular solid
Odor: Mild acrylic odor
Specific gravity: H₂O=1 N/A, bulk density
Melting point: N/A
Evaporation rate: Less than 1
Vapor pressure: N/A
Solubility in water: Forms viscous liquid; limited solubility. Max est. 2%
Vapor density air=1: N/A

Section IV-Fire and Explosive Hazard Data

Flash Point: Greater than 400°C
Flammable limits:
LEL: N/A
UEL: N/A
Extinguisher media: Any available extinguisher
Unusual fire and explosion: N/A
Special fire fighting procedures: N/A

Section V-Reactivity Data

Stability: Stable
Conditions to avoid: N/A
Incompatibility: N/A
Hazardous decomp or by-products: Thermal decomposition; oxides of carbon and
nitrogen

Material Safety Data Sheet

Identity: Finn E-Tack

Hazardous polymerization: Will not occur

Section VI-Health Hazard Data

Routes of Entry:

Inhalation: Yes

Ingestion: No

Skin: No

Health Hazards (acute and chronic): Contact with the eyes will cause irritation. Prolonged/repeated skin contact may cause irritation/dry skin.

Carcinogenicity:

NTP: No

LARC monographs: No

OSHA regulated: No

Signs and symptoms of exposure: Reddening, swelling of infected area with possible itching, burning or other discomfort.

Medical conditions generally aggravated by exposure: Existing cuts, rashes, allergies or other sensitive areas.

Emergency and first aid procedures:

Eyes & Skin: Flush thoroughly with water

Inhalation: Move to source of fresh air

Ingestion: Seek medical advice

Section VII-Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled: Contain. Thoroughly collect spilled granular material. Flush residuals to the drain for normal biological treatment. Use caution. Spilled material in contact with water creates very slippery conditions.

Waste Disposal Method: Incinerate or other approved method for disposal of unadulterated product as a non-hazardous waste.

Precautions to be taken in handling & storage: Handle as an irritant. Do not get into eyes. Avoid prolonged skin contact. Avoid inhalation of dust forms. Do not ingest. Use caution. Spilled material in contact with water creates very slippery conditions.

Other precautions: Do not ingest. Use caution. Spilled material in contact with water creates very slippery conditions.

Material Safety Data Sheet

Identity: Finn E-Tack

Section VIII-Control Measures

| | |
|-------------------------------------|---|
| Respiratory protection: | For dusty conditions use a nuisance dust mask |
| Ventilation: | |
| Local exhaust: | Ensure dust is removed |
| Special: | Not required |
| Other: | N/A |
| Mechanical: | Recommended |
| Eye protection: | Safety glasses |
| Protective gloves: | Impervious neoprene or rubber |
| Other protective clothing or equip: | Shoes, apron or other as needed to prevent prolonged skin contact |
| Work/Hygienic practices: | Wash thoroughly after handling |